

**CONSUMER PRODUCT SAFETY IMPROVEMENT ACT (CPSIA)
CERTIFICATE OF COMPLIANCE**

Identification of the product covered by the certificate	Bactine NDC 65197-810-04 NDC 65197-812-04	
Citation to each Consumer Protection Safety Commission product safety regulation to which the product is being certified	16 CFR 1700.14 and 1700.15	
Identification of the importer or domestic manufacturer certifying compliance of the product	WellSpring Pharmaceutical Corporation 5911 N Honore Ave Ste 211 Sarasota FL 34243 Phone: 941-312-4727	
Contact information for the individual maintaining records of test results	Regulatory Affairs & Compliance 5911 N Honore Ave Ste 211 Sarasota FL 34243 Phone: 941-312-4727 Ext. 101	
Date and place where the product was manufactured	<p><u>Date of manufacture</u> Date of manufacture is lot specific. Refer to contact for detailed information.</p> <p><u>Place of manufacture</u> Varies – refer to lot code and contact for detailed information.</p>	
Date and place where the product was tested for compliance with the regulation(s) cited above	<p>NDC 65197-810-04</p> <p><u>Date of testing</u> July 10, 2007</p> <p><u>Place of testing</u> Kerr Groups 1706 Hempstead Road Lancaster, PA 17601 (717) 299-6511</p>	<p>NDC 65197-812-04</p> <p><u>Date of testing</u> August 26, 2013</p> <p><u>Place of testing</u> Perritt Laboratories PO BOX 147 Hightstown NJ 08520 Tel (609) 443-4848</p>