

Drug Facts

Active ingredients Purpose

Lidocaine 4% Pain Relieving Spray

Uses

For the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor skin irritations.

Warnings

For external use only.

Do not Use ■ in large quantities, particularly over raw surfaces or blister areas ■ on puncture wounds
■ in or near the eyes ■ longer than 1 week unless directed by a doctor

When using this product ■ use only as directed. Read and follow all directions and warnings on this label ■ do not allow contact with the eyes and mucous membranes ■ avoid spraying on face ■ avoid inhalation of spray ■ do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use ■ do not use at the same time as other topical analgesics

Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days

Extremely Flammable ■ do not use near heat or flame or while smoking ■ avoid long term storage above 104°F (40°C)
■ do not puncture or incinerate. Contents under pressure ■ do not store at temperatures above 120°F (49°C) ▶

Drug Facts (continued)

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years: ■ spray affected area every 6 to 8 hours, not to exceed 3 to 4 applications in a 24 hour period ■ product will dry quickly on its own, and does not need to be rubbed in
■ children 12 years or younger: ask a doctor

Inactive Ingredients

alcohol denat. (28%), anthemis nobilis flower oil, aqua, arnica montana flower extract, calendula officinalis flower extract, Caprylic/Capric Triglyceride, glycerin, isobutane, propylene glycol